The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1. - 10. (Cancelled)

11. (Previously Presented): A compound of formula I

wherein

 Y_1 means a hydrogen atom, a hydroxyl group, an alkanoyloxy group with 1 to 12 C atoms or an aroyloxy group,

Y₂ means a hydrogen atom or an alkanoyl group with 1 to 12 C atoms or an aroyl group,

 R_1 and R_2 each mean a hydrogen atom or together an exocyclic methylene group,

R₃ and R₄, independently of one another, mean a hydrogen atom, a chlorine or fluorine atom, an alkyl group with 1 to 4 carbon atoms, or together form a methylene group, or together with quaternary carbon atom 20 form a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Q means a straight-chain or branched carbon unit with up to 10 carbon atoms, which at any position can have hydroxyl groups, in α - or β -position, which in turn can be etherified or esterified, keto groups, amino groups or halogen atoms,

R₅ and R₆ together with carbon atom 25 mean a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Z means a five- or six-membered carbocyclic ring which can be saturated, unsaturated or aromatic, and which can be substituted by one or more alkyl chains, which can be straight-

chain or branched, saturated or unsaturated, and optionally interrupted by oxa, thia, aza, sulfoxide or sulfo groups or substituted by hydroxy groups or halogen atoms, wherein if Z is phenyl, R_5 and R_6 together with carbon atom 25 form a cyclopropyl, cycloputyl, cyclopentyl or cyclohexyl ring.

- 12. (Previously Presented): A compound according to claim 11, wherein R₅ and R₆ together with carbon atom C-25 means a cyclopropyl ring.
- 13. (Previously Presented): A compound according to claim 11, wherein Q is hydroxymethyl or carbonylmethyl group.
- 14. (Previously Presented): A compound according to claim 11, wherein the compound antagonizes the action of calcitriol in HL 60 cells.
- 15. (Previously Presented): A compound according to claim 11, wherein Y_1 is acetyloxy, propionyloxy, butyryloxy or benzoyloxy.
- 16. (Previously Presented): A compound according to claim 11, wherein Y₂ is acetyl, propionyl, butyryl or benzoyl.
- 17. (Previously Presented): A compound according to claim 11, wherein R_3 is H and R_4 is methyl.
- 18. (Previously Presented): A compound according to claim 11, wherein R_3 is methyl and R_4 is H.
- 19. (Previously Presented): A compound according to claim 11, wherein R_3 is F and R_4 is methyl.
- 20. (Previously Presented): A compound according to claim 11, wherein R_3 is methyl and R_4 is F.

- 21. (Previously Presented): A compound according to claim 11, wherein R_3 and R_4 together form a methylene group or together with tertiary carbon atom 20 form a cyclopropyl group.
- 22. (Previously Presented): A compound according to claim 11, wherein Q is an unsubstituted, unbranched alkylene having 1-3 carbon atoms.
- 23. (Previously Presented): A compound according to claim 11, wherein Q is hydroxymethylene in which the hydroxy group is in the α or β position.
- 24. (Previously Presented): A compound according to claim 11, wherein Q is CH(OH)- CH_2 or -CH(OH)- CH_2 in which, in each case, the hydroxy group is in the α or β position.
- 25. (Previously Presented): A compound according to claim 11, wherein R₅ and R₆ together with carbon atom C-25 form a cyclopropyl, cyclobutyl, cyclopentyl, or cyclohexyl group.
- 26. (Previously Presented): A composition comprising at least one compound according to claim 11 and a pharmaceutically compatible vehicle.
- 27. (Currently Amended): A method of treating a patient <u>suffering from for</u> hyperprolifierative diseases of the skin, tumor diseases and precancerous stages, auto-immune diseases, rejection reactions in the case of autologous, allogenic or xenogenic transplants, AIDS, atopic skin conditions, secondary hyperparathyroidism, renal osteodystrophia, senile and postmenopausal osteoporosis, <u>or</u> diabetes mellitus type II, <u>and/or degenerative diseases of the peripheral and central nervous system</u>-comprising administering to said patient a <u>compound eomposition</u> according to claim 11.
- 28. (Currently Amended): A method according to claim 27, wherein said patient is suffering from psoriasis, acne, ichthyosis, tumors of the intestines, carcinomas of the breast, lung tumors, prostate carcinomas, leukemias, T-cell lymphomas, actinic keratoses, cervix dysplasias, multiple scleroses, diabetes mellitus type I, myasthenia gravis, lupus

erythematosus, AIDS, secondary hyperparathyroidism, renal osteodystrophia, senile osteoporosis, postmenopausal osteoporosis, diabetes mellitus type II, Alzheimer's disease and/or amyotrophic lateral sclerosis.

- 29. (Currently Amended): A method of treating a patient <u>suffering from for</u> hypercalcemias, granulomatous diseases, paraneoplastic hypercalcemias, hypercalcemias in hyperparathyroidism, hirsutism, arteriosclerosis, and/or inflammatory diseases comprising administering to said patient a <u>compound emposition</u> according to claim 11, wherein the compound antagonizes the action of calcitriol in HL 60 cells.
- 30. (Currently Amended): A method according to claim 29, wherein said patient is suffering from hypervitaminosis D, intoxication with calcitriol or its analogues, sarcoidosis, tuberculosis, osteolytic metastases, tumors with increased synthesis of parathormone-related peptides, hypercalcemias in hyperparathyroidism, hirsutism, arteriosclerosis, rheumatoid arthritis, Crohn's disease, ulcerative colitis, and/or granulomatous diseases.
- 31. (Previously Presented): A method according to claim 27, wherein said compound is administered to said patient in an amount of 0.1 μ g/day 1000 μ g/day.
- 32. (Previously Presented): A method according to claim 29, wherein said compound is administered to said patient in an amount of 0.1 μ g/day 1000 μ g/day.
- 33. (Previously Presented): A process for the production of a compound according to claim 11, said process comprising:

providing a compound of general formula II

$$R_3$$
 R_4
 R_5
 R_6
 R_5
 R_6
 R_1
 R_2
 R_1
 R_1
 R_2
 R_1
 R_1
 R_2
 R_1
 R_2
 R_1
 R_2

ALBRE-30-D3

wherein

Y'₁ means a hydrogen atom or a protected hydroxy group and

Y'2 means a hydroxy protective group,

R₁ and R₂ each mean a hydrogen atom or together an exocyclic methylene group,

R₃ and R₄, independently of one another, mean a hydrogen atom, a chlorine or fluorine atom, an alkyl group with 1 to 4 carbon atoms, or together form a methylene group, or together with quaternary carbon atom 20 form a 3- to 7-membered, saturated or unsaturated carbocyclic ring,

Q means a straight-chain or branched carbon unit with up to 10 carbon atoms, which at any position can have hydroxyl groups, in α - or β -position, which in turn can be etherified or esterified, keto groups, amino groups or halogen atoms,

R₅ and R₆ together with carbon atom 25 mean a 3- to 7-membered, saturated or unsaturated carbocyclic ring, and

Z' means a five- or six-membered carbocyclic ring which can be saturated, unsaturated or aromatic, and which can be substituted by one or more alkyl chains, which can be straight-chain or branched, saturated or unsaturated, and optionally interrupted by oxa, thia, aza, sulfoxide or sulfo groups or substituted by hydroxy groups or halogen atoms, wherein if Z' is phenyl, R₅ and R₆ together with carbon atom 25 form a cyclopropyl, cycloputyl, cyclopentyl or cyclohexyl ring; and

reacting the compound by simultaneous or successive cleavage of the hydroxy protective groups and optionally by partial or complete esterification(s) or etherification(s) of free hydroxy groups.

34. (Previously Presented): A compound selected from:

(5Z,7E,22E)-(1S,3R,24R)-25-phenyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-phenyl-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

```
(5Z,7E,22E)-(1S,3R,24S)-25-(4-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
```

(5Z,7E,22E)-(1S,3R,24R)-25-(4-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(4-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(4-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-methylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24S)-25-(3-ethylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

(5Z,7E,22E)-(1S,3R,24R)-25-(3-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,

- (5Z,7E,22E)-(1S,3R,24S)-25-(3-propylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24R)-25-(3-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24S)-25-(3-butylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24R)-25-(3-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24S)-25-(3-pentylphenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24R)-25-[4-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol
- (5Z,7E,22E)-(1S,3R,24S)-25-[4-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,
- (5Z,7E,22E)-(1S,3R,24R)-25-[3-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol,and
- (5Z,7E,22E)-(1S,3R,24S)-25-[3-(1-methylethyl)phenyl)-26,27-cyclo-9,10-secocholesta-5,7,10(19),22-tetraene-1,3,24-triol.
- 35. (Currently Amended): A method of treating a patient suffering from a hyperprolifierative disease of the skin selected from psoriasis, pityriasis subia pilasis, acne, and ichthyosis, comprising administering to said patient a <u>compound composition</u> according to claim 11.
- 36. (Currently Amended): A method of treating a patient suffering from a tumor disease or a precancerous stage of a tumor, selected from tumors of the intestines, carcinomas of the breast, lung tumors, prostate carcinomas, leukemias, T-cell lymphomas, melanomas, Batazell Larzin, squamous carcinoma, actinic keratoses, cervix dysplasias, and metastasizing tumors, said method comprising administering to said patient a <u>compound composition</u> according to claim 11.

- 37. (Currently Amended): A method of treating a patient suffering from eczema or a disease of the atopic Formon series, comprising administering to said patient a <u>compound</u> eomposition according to claim 11.
- 38. (Currently Amended): A method of treating a patient suffering from an autoimmune diseases selected from multiple scleroses, diabetes mellitus type I, myasthenia gravis, lupus erythematosus, scleroderma, and bullous skin diseases, comprising administering to said patient a <u>compound emposition</u> according to claim 11.
- 39. (Currently Amended): A method of treating a patient suffering further rejection reactions resulting from an autologous, allogeneic or xenogeneic transplant, comprising administering to said patient a <u>compound</u> emposition according to claim 11.
- 40. (Currently Amended): A method of treating a patient suffering from diabetes mellitus type II by increasing the insulin secretion, comprising administering to said patient a compound emposition according to claim 11.
- 41. (Currently Amended): A method of treating a patient suffering from senile osteoporosis, postmenopausal osteoporosis, or steroid-induced osteoporosis, comprising administering to said patient a <u>compound composition</u> according to claim 11.
- 42. (Currently Amended): A method of accelerating healing of arthroplasties in a patient comprising administering to said patient a <u>compound emposition</u> according to claim 11.